



December 2007 • U.S. Department of Agriculture • Forest Service • Office of Communication Contact: Robert Westover 202-205-1777

Quick Facts

Atmospheric Carbon

In the 1990s, greenhouse gases in the atmosphere grew at an average rate of 3.2 billion tons per year because emission sources more than offset carbon sinks (Houghton 2003):

Burning fossil fuels.....	+ 6.3 billion tons per year
Land use conversion.....	+ 2.2 billion tons per year
Ocean uptake.....	- 2.4 billion tons per year
Other carbon sinks (forests, rangelands, croplands, etc.).....	- 2.9 billion tons per year

Atmospheric carbon dioxide concentration is now higher than at any time in the past 10 million years (Kennedy and Hanson 2006).

Temperature

Eleven of the last 12 years rank among the 12 warmest years since 1850 (IPCC 2007a).

Over the next hundred years, the average temperature in the United States is expected to rise by 4 to 9 °F (Field and others 2007).

Precipitation

Annual mean precipitation is projected to decrease in the Southwest but increase over the rest of North America (Christensen and others 2007; Field and others 2007; IPCC 2007a).

The fraction of annual precipitation falling as rain (rather than snow) increased at 74 percent of the weather stations in the western mountains of the United States from 1949 to 2004 (Field and others 2006).

Warming in western mountains is projected to decrease snowpacks, cause more winter flooding, and reduce summer streamflows (Field and others 2007).

Snow and ice will melt earlier, resulting in drier summer conditions, particularly in the arid West (IPCC 2007b).

Disturbances

Many ecosystems are likely to be threatened in this century by an unprecedented combination of climate change, associated disturbances (e.g., flooding, drought, wildfire, insects), and other global change drivers (e.g., land use change, pollution, over-exploitation of resources) (IPCC 2007b).



Major disturbances such as floods and droughts are likely to increase in number and intensity (IPCC 2007b).

The ecological impacts of wildfires as well as forest pests and diseases are expected to rise, with extended periods of high fire risk and large increases in area burned (IPCC 2007b).

Projected increases in area burned annually in the United States range from 4 to 31 percent (Bachelet and others 2003).

Selected Ecological and Other Impacts

Plant and animal communities will tend to migrate northward and upslope (IPCC 2007a).

Typical spring events, such as the leafing out of trees and the migration and nesting of birds, will come earlier in the year (IPCC 2007b).

About 20 to 30 percent of the plant and animal species assessed are likely to be at increased risk of extinction if increases in global average temperatures exceed 2.7 to 4.5 °F (IPCC 2007b).

Rising levels of atmospheric carbon dioxide could help the spread of invasive weeds such as Canada thistle, yellow starthistle, leafy spurge, spotted knapweed, field bindweed, and perennial sowthistle (Ziska 2003).

If warming continues as anticipated in the arid West (Ryan and others 2007):

- Higher temperatures and decreased soil moisture will likely reduce the stability of surface soil, leading to increased erosion.
- Increases in high-intensity storms will likely increase water erosion in uplands.
- Increases in windspeed and gustiness will likely increase wind erosion, dust emission, and transport of nutrient-rich dust to downwind ecosystems, causing more rapid spring melt and shorter availability of snowmelt for human use.

Projected changes in temperature and precipitation will likely (Ryan and others 2007):

- lower forest productivity in Alaska, the Southwest, the Interior West, and eastern parts of the Southeast; and
- increase forest productivity in the Lake States, the Northeast, and western parts of the Southeast.

Projected increases in hurricanes and ice storms will likely lower forest productivity in the Southeast and Northeast, exacerbating or offsetting changes caused by temperature and precipitation (Ryan and others 2007).

Without snowmaking, the ski season in the Sierra Nevada will likely shorten by 3 to 6 weeks by the 2050s and by 7 to 15 weeks by the 2080s (Field and others 2007).

By the 2050s, there will likely be no reliable snowmobile season in most of the East (Field and others 2007).

Carbon Sequestration

From 1990 to 2004, forest growth in the United States sequestered about 627 million metric tons of atmospheric carbon dioxide on average each year, offsetting about 10 percent of the carbon dioxide emitted by Americans burning fossil fuels (EPA 2006).



If current trends continue, then net carbon uptake by terrestrial ecosystems worldwide is likely to peak before midcentury and then weaken or reverse, amplifying climate change (IPCC 2007a).

Biofuels

Forests in the contiguous United States could produce up to 368 million tons of biomass for conversion to energy, enough to meet about 9 percent of current national demand for transportation fuels (Perlack and others 2005).

References

- Bachelet, Dominique; Neilson, Ronald P.; Hickler, Thomas; Drapek, Raymond J.; Lenihan, James M.; Sykes, Martin T.; Smith, Benjamin; Sitch, Stephen; Thonicke, Kirsten. 2003. Simulating past and future dynamics of natural ecosystems in the United States. *Global Biogeochemical Cycles* 17(2): 1045-1066.
- Christensen, J.H.; B. Hewitson; A. Busuioc; A. Chen, X. Gao, I. Held, R. Jones, R.K. Kolli, W.-T. Kwon, R. Laprise, V. Magaña Rueda, L. Mearns, C.G. Menéndez, J. Räisänen, A. Rinke, A. Sarr; P. Whetton, 2007: Regional climate projections. In: *Climate change 2007: The physical science basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. S. Solomon; D. Qin; M. Manning; Z. Chen; M. Marquis; K.B. Averyt; M. Tignor; H.L. Miller (eds.). Cambridge, UK, and New York, NY: Cambridge University Press: 847-940.
http://ipcc-wg1.ucar.edu/wg1/Report/AR4WG1_Print_Ch10.pdf.
- EPA (Environmental Protection Agency). 2006. Inventory of U.S. greenhouse gas emissions and sinks: 1990-2004. Washington, DC: EPA.
- Field, C.B.; L.D. Mortsch; M. Brklacich; D.L. Forbes; P. Kovacs; J.A. Patz; S.W. Running; M.J. Scott. 2007. Climate change 2007: Impacts, adaptation and vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. M.L. Parry; O.F. Canziani; J.P. Palutikof; P.J. van der Linden; C.E. Hanson (eds.). Cambridge, UK: Cambridge University Press: 617-652. <http://www.gtp89.dial.pipex.com/14.pdf>.
- Houghton, R.A. 2003. Why are estimates of the terrestrial carbon balance so different? *Global Change Biology* 9: 500-509.
- IPCC (Intergovernmental Panel on Climate Change). 2007a. Summary for policymakers. In: *Climate change 2007: The physical science basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. S. Solomon; D. Qin; M. Manning; Z. Chen; M. Marquis; K.B. Averyt; M. Tignor; H.L. Miller (eds.). Cambridge, UK, and New York, NY: Cambridge University Press.
http://ipcc-wg1.ucar.edu/wg1/Report/AR4WG1_Print_SPM.pdf
- IPCC (Intergovernmental Panel on Climate Change). 2007b. Summary for policymakers. In: *Climate change 2007: Impacts, adaptation and vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. M.L. Parry; O.F. Canziani; J.P. Palutikof; P.J. van der Linden; C.E. Hanson (eds.). Cambridge, UK: Cambridge University Press: 7-22. <http://www.ipcc.ch/SPM13apr07.pdf>
- Kennedy, D.; B. Hanson. 2006. Ice and history. *Science* 311: 1673. <http://www.sciencemag.org/cgi/reprint/311/5768/1673.pdf>
- Perlack, R.D.; L.L. Wright; A.F. Turhollow; R.L. Graham; B.J. Stokes; D.C. Erbach. 2005. Biomass as feedstock for a bioenergy and bioproducts industry: The technical feasibility of a billion-ton annual supply. A joint study sponsored by the U.S. Department of Energy and U.S. Department of Agriculture. U.S. Department of Energy, Oak Ridge, TN. http://feedstockreview.ornl.gov/pdf/billion_ton_vision.pdf
- Ryan, M.G., S.R. Archer; R.A. Birdsey; C.N. Dahm; L.S. Heath; J.A. Hicke; D.Y. Hollinger; T.E. Huxman; G.S. Okin; R. Oren; J.T. Randerson; W.H. Schlesinger. 2007. [The effects of climate change on] Land resources. (Working draft, available from the authors)
- Ziska, L.H. 2003. Evaluation of the growth response of six invasive species to past, present and future carbon dioxide concentrations. *Journal of Experimental Botany* 54:395-404.

